

Product information

【Drug Facts】



<Kyowa-Gifu-Japan>

Please be sure to read this product information carefully before use. Keep this product information in a safe place so that you can read again, when you need it.

ADHESIVE BANDAGE (LIQUID TYPE)

EKITAI BANSOUKOU EX

- 1 This medicine can quickly treat for "cracks", "akagire(cleft of skin)", "reverse stripping", "small cuts" and "scratches".
- 2 A thin film prevents from invading of bacteria, dust, etc. and from feeling of pain by getting wet.
- 3 Inconspicuous in transparent type.

Active ingredient (in 100g)

Purpose

Piroxirin 12g..... Disinfection and protection for injury

Uses

"cracks", "akagire(cleft of skin)", "reverse stripping", "small cuts" and "scratches".

Warnings

[To be avoided]

(Failure to observe the following may result in the current symptoms worsening or adverse reactions occurring.)

1. **Do not use for the next part:**
 - (1) Around eyes or eyes, mucous membranes (oral cavity, nasal cavity, vagina, etc.), scrotum, vulva etc.
 - (2) A part of sore affected area or suppurative area.
 - (3) A part of large wounds, deep wounds, eczema and bleeding affected area.
 - (4) Face, Head.
 - (5) Skin damaged by shaving, hair removal, hair loss, decolorization, etc.

[Consult a doctor for the following]

1. The following persons should consult a doctor, pharmacist, or registered distributor before using this medicine.

- (1) A person undergoing medical treatment from a doctor.
- (2) A person with a medical history of being allergic to medicines and other substances.

2. The following symptoms may be adverse reactions to this medicine. If any of these symptoms occur, discontinue use immediately and consult a doctor, pharmacist, or registered distributor with the Japanese package insert.

Related area	Symptoms
Skin	Rash • redness, itching, blotch

3. If symptoms do not improve after using between 5 and 6 days, stop using the medicine, bring this Japanese package insert, and consult a doctor, pharmacist or registered distributor.

Directions

Be clean the affected area, apply an appropriate amount only to the wound area, and allow it to dry gently.

[When using this product]

- (1) Please do not use while the affected area or its surroundings are dirty.
- (2) If the affected area is wet with sweat or water, wipe it thoroughly before using.
- (3) Please be careful not to get into eyes. If it gets in your eyes, please wash immediately with water or lukewarm water. If the symptoms are severe, please consult an eye doctor.
- (4) This medicine should be given to children only under adult supervision.
- (5) This medicine for the external use only, never use it for internal.
- (6) Please do not paint widely except wounds. (It may reduce skin breathing.)
- (7) When applied to scratches, it will stain for a moment, but after drying it will not be soaking.

Other information

- (1) Store in a cool and dry with less humidity place free from direct sunlight by a seal tightly. (If it not be closed the plug of container, the medicine will become solid and will not be usable.)

- (2) Keep all medicine out of the reach of children.
- (3) Do not transfer this medicine to a different container. (In this case, cause misuse or change quality)
- (4) Please do not get close to fire.
- (5) Do not use if there is a risk of accidental ingestion (such as sucking own finger)
- (6) If you try to remove the hardened film* of medicine by force, please be careful as it may damage the skin.

* If you want to peel off immediately, apply 'EKITAI BANSOUKOU EX' and then wipe off before drying.

- (7) **Please be aware that when using this medicine, it may be extremely difficult to remove and may change color if it adheres to clothing, furniture, floors, etc.**
- (8) Do not use this medicine after the expiration date on the outer box.

Inactive ingredients: dl-Camphor, Castor oil, Isopropyl myristate, Ethyl acetate, Ethanol.

Questions or comments?

If you have any suggestions about this product, please contact the shop you purchased or the following address.

Consumer consultation window: Kyowa Pharmaceutical Industry Co., Ltd.
Customer consultation room ☎ 058-246-8771

Reception time 9:00~12:00・13:00~17:00 (Excluding weekends and holidays)

[Request of limited correspondence] <Kyowa-Gifu-Japan>

- (1) In case of telephone consultation, please only in Japanese for a while.
- (2) The latest Japanese package insert is available on the website of Kyowa Pharmaceutical Co., Ltd. (www.kyowa-ci.co.jp).

Disclaimer statement

- (1) We use a format similar to the FDA OTC Drug Regulations, but this is not an OTC Drug approved under the FDA. Please note that it is licensed for domestic use in accordance with the Pharmaceutical Affairs Law of Japan..
- (2) This English translation was created by a manufacturer and distributor, but Japanese is a correct sentence and it should be as a reference material. In the case of any discrepancy between the two versions, the original Japanese version prevails.

- (3) The provider of this translation shall not be responsible for any damage that may be attributed to the use of the translation.
- (4) Do not use for commercial purpose reproduction, publication etc. of this English translation.
- (5) Although the English translation is prepared on the basis of the Japanese version of the attached document on the year and month, the attached document is revised from time to time, so the English translation may not be the latest.