Product information

[Drug Facts]

Active ingredients (in 100g)



<Kyowa-Gifu-Japan>

Please be sure to read this product information carefully before use. Keep this product information in a safe place so that you can read again, when you need it.

Athlete's foot or Ringworm

(CREAM)

MOISHIA UA

Hardened heels and other athlete's feet are thicker in the stratum corneum than in other areas, making it difficult for medicines to penetrate. "MOISHIA UA" containing 10% of antifungal ingredient + urea penetrates to the deep part of the stratum corneum by using once a day and firmly kills athlete's foot.

Purpose

	,			•
	Terbinafine hydro	ochloride	1.0g·····	Antifungal ingredient
	Lidocaine 2.0g			Itching ingredient
	Glycyrrhetinic ac	oid 0.1g•		Anti-inflammatory ingredient
	Urera 10.0g····			Moisture retention ingredient
	Diphenhydramine	e 1.0g•••		Antihistamine ingredient
	Uses		s foot(Tinea peo m in the body(Tin	dis)、 Ringworm in the groin、 ea corporis)
	[Treatment points for Athlete's foot]			
0	Always clean the affected area. Let's use clean things such as socks and shoes,etc.			
0	Apply the medicine widely, because the infestation of Trichophyton often spreads from the range where the symptom appears.			
0	Even if itching disappears, because it may recur, so let's continue the treatment patiently for a while.			
0	Let's prevent wetting of the affected area and try to keep it dry.			
	Warnings			

(Failure to observe the following may result in the current symptoms worsening or adverse reactions occurring.)

1. Do not use to the following person:

If you have had allergic symptoms (rash, redness, itching, edema etc.) due to this medicine or the components in it.

2. Do not use for the next part:

- (1) Around eyes or eyes, mucous membranes (oral cavity, nasal cavity, vagina, etc.), scrotum, vulva etc.
- (2) Eczema.
- (3) Wetting, soring, cracking or severely affected areas of external wound.

[Consult a doctor for the following]

- 1. The following persons should consult a doctor, pharmacist, or registered distributor before using this medicine.
- (1) A person undergoing medical treatment from a doctor.
- (2) A pregnant woman or a woman suspected of being pregnant.
- (3) Infants.
- (4) A person with a medical history of being allergic to medicines and other substances.
- (5) The affected area is on the face or in a wide area.
- (6) The affected part is wet and sore awful person.
- (7) A person who does not know clear whether "Eczema" or "Athlete's foot (Tinea pedis), Ringworm in the groin, Ringworm in the body (Tinea corporis) by trichomonas". (If you have symptoms such as itching or sore in the scrotum, there may be other causes than eczema etc.)
- 2. The following symptoms may be adverse reactions to this medicine. If any of these symptoms occur, discontinue use immediately and consult a doctor, pharmacist, or registered distributor with the Japanese package insert.

Related area	Symptoms	
Skin	Irritating, irritating, hot, scale, exfoliation (skin peeling like dandruff, red), sore, dryness, firmness, skin cracking, pain, pigmentation, rash, redness *, itching *, swelling *, Hives *	

* It may also be appeared throughout the body.

3. If symptoms do not improve after using it for about 2 weeks, stop using the medicine, bring this Japanese package insert, and consult a doctor, pharmacist or registered distributor.

Directions

Apply an appropriate amount to the affected area once a day.

[When using this product]

- (1) Please follow the recommended dosage and directions.
- (2) Please do not use while the affected area or its surroundings are dirty.
- (3) Be careful not to get into eyes. If it gets in your eyes, please wash immediately with water or lukewarm water. And If the symptoms are severe, please be given medical treatment by an eye doctor immediately.
- (4) Do not touch your eyes or mucous membranes with this medicine.
- (5) This medicine should be given to children only under adult supervision.
- (6) Please use only for external treatment.

Other information

- (1) Store in a cool and dry with less humidity place free from direct sunlight by a seal tightly.
- (2) Keep all medicine out of the reach of children.
- (3) Do not transfer this medicine to a different container. (In this case, cause misuse or change quality.)
- (4) Do not use products that have expired. Please use as soon as possible from the point of quality maintenance even within the expiration date after opening.

Inactive ingredients:

Propylene glycol, Triethanolamine, Glycine, Paraben, Polyoxyethylene hydrogenated castor oil, Polysorbate 60, Stearyl alcohol, Cetanol, Carboxyvinyl polymer, Diethyl sebacate, Perfume

Questions or comments?

If you have any suggestions about this product, please contact the shop you purchased or the following address.

Reception time 9:00~12:00·13:00~17:00 (Excluding weekends and holidays)

[Request of limited correspondence] <Kyowa-Gifu-Japan>

- (1) In case of telephone consultation, please only in Japanese for a while.
- (2) The latest Japanese package insert is available on the website of Kyowa Pharmaceutical Co., Ltd. (www.kyowa-ci.co.jp).

Disclaimer statement

- (1) We use a format similar to the FDA OTC Drug Regulations, but this is not an OTC Drug approved under the FDA. Please note that it is licensed for domestic use in accordance with the Pharmaceutical Affairs Law of Japan.
- (2) This English translation was created by a manufacturer and distributor, but Japanese is a correct sentence and it should be as a reference material. In the case of any discrepancy between the two versions, the original Japanese version prevails.
- (3) The provider of this translation shall not be responsible for any damage that may be attributed to the use of the translation.
- (4) Do not use for commercial purpose reproduction, publication etc. of this English translation.
- (5) Although the English translation is prepared on the basis of the Japanese version of the attached document on the year and month, the attached document is revised from time to time, so the English translation may not be the latest.