Revision Jyanuary 2024	No141	
Product information		
【Drug Facts】 🛛 🕺 🕺	│	
For resource saving the case is combined with the Japanese instruction written on the package case. Be sure to read the instruction carefully before use. Also, please keep it in a safe place so that you can read again, when you need it.		
Class 2 drugs Skin Disease Tr	eatment (CREAM)	
TESITON VS CREAM		
This external preparation contains the non-steroidal anti-inflammatory drug ufenamate as the main ingredient, diphenhydramine and glycyrrhetinic acid to suppress itching and inflammation, and benzethonium chloride, which has sterilizing and disinfecting properties.		
Can be used on the face, arms, and body of everyone from infants to adults. A refreshing cream that gently blends into the skin.		
Active ingredients (in 100g)	Effect	
Ufemart 5.0g	Anti-inflammatory ingredient	
Diphenhydramine 1.0g	Anti-histamine action	
Glycyrrhetinic acid O. 3g·····	Anti-inflammatory ingredient Blood circulation promoting	
Tocopheryl acetate 0. 5g····· Benzethonium chloride 0.1g·····	ingredients Anti-itching ingredient	
Indication Dermatitis, eczema, diaper rash, sores, heat rash, rash, itching		
Consult a doctor for the following		
 The following persons should consult a doctor, pharmacist, or registered salesperson before using this medicine. 		
(1) Patients undergoing medical treatment from a doctor.		
(2) Patients who have experienced allergic symptoms associated with drugs, etc.		

- (3) People with severe dampness or sores.
- 2. The following symptoms may be adverse reactions to this medicine. If any of these symptoms occur, discontinue use immediately and consult a doctor, pharmacist, or registered salesperson registered seller with this case or this Japanese product manual.

Related area	Symptoms
Skin	Rash•redness, itching, swelling, irritation (tingling), heat, dryness

3. If symptoms do not improve after using between 5 and 6 days, stop using the medicine, consult a doctor, pharmacist, or registered salesperson registered seller with this case or this Japanese product manual. the Japanese instructions written on this package case, and consult a doctor, pharmacist or registered salesperson.

[Dosage and administration]

Apply an appropriate amount to the affected area several times a day.

[When using this product]

- (1) This medicine should be given to children only under adult supervision.
- (2) Be careful not to get it in your eyes. If it gets into your eyes, immediately wash it with water or lukewarm water. If the symptoms are severe, please consult an ophthalmologist.
- (3) For external use only.
- (4) Apply after cleaning the affected area.

[Precautions for storage and handling]

- (1) Store in a cool and dry with less humidity place free from direct sunlight by a seal tightly.
- (2) Keep all medicine out of the reach of children.
- (3) Do not transfer this medicine to a different container. (In this case, cause misuse or change quality.)
- (4) Do not use the product that has passed its expiration date (listed on the outer box).

Inactive ingredients:

Contains petrolatum, stearyl alcohol, cetyl alcohol, glyceryl monostearate, isopropyl palmitate, behenyl alcohol, cetomacrogol 1000, dimethylpolysiloxane, parabens, and dibutylhydroxytoluene (BHT).

Contact information for the Relief System for Side Effects

Pharmaceuticals and Medical Devices Agency

http://WWW.pmda.go.jp/kenkouhigai_cmp/index.html

Telephone: 0120-149-931 (toll-free)

Questions or comments?

If you have any suggestions about this product, please contact the shop you purchased or the following address.

Consumer consultation window: Kyowa Pharmaceutical Industry Co., Ltd. Customer consultation room Construction Consultation room

Reception time $9:00 \sim 12:00 \cdot 13:00 \sim 17:00$ (Excluding weekends and holidays)

[Request of limited correspondence] <Kyowa-Gifu-Japan>

- (1) In case of telephone consultation, please only in Japanese for a while.
- (2) The latest Japanese package insert is available on the website of Kyowa Pharmaceutical Co., Ltd. (www.kyowa-ci.co.jp).

Disclaimer statement

- (1) We use a format similar to the FDA OTC Drug Regulations, but this is not an OTC Drug approved under the FDA. Please note that it is licensed for domestic use in accordance with the Pharmaceutical Affairs Law of Japan.
- (2) This English translation was created by a manufacturer and distributor, but Japanese is a correct sentence and it should be as a reference material. In the case of any discrepancy between the two versions, the original Japanese version prevails.
- (3) The provider of this translation shall not be responsible for any damage that may be attributed to the use of the translation.
- (4) Do not use for commercial purpose reproduction, publication etc. of this English translation.

(5) Although the English translation is prepared on the basis of the Japanese version of the attached document on the year and month, the attached document is revised from time to time, so the English translation may not be the latest.