

## Product information

**【Drug Facts】**



〈Kyowa-Gifu-Japan〉

For resource saving the case is combined with the Japanese instruction written on the package case. Be sure to read the instruction carefully before use. Also, please keep it in a safe place so that you can read again, when you need it.

Class 2 drugs      **Blood circulation promotion  
and Skin moisturizer Drugs**      ( CREAM )

**HEPAROID CREAM**

**Active ingredients** (in 100g)

**Effect**

Heparin analogue 0.3g • •      Moisturizing effect, blood circulation promotion effect,  
anti-inflammatory effect

### **Indication**

Itching on fingers, keratosis on elbows, knees, heels, and ankles, cracks and chapped hands and feet, xeroderma, dry skin in children, chilblains (excluding sores), skin lumps and tightness after wounds and burns (excluding face), bruises, swelling after sprain, muscle pain, joint pain



### **Precautions**

#### **[When not to use the product]**

(If you do not follow these instructions, the current symptoms may worsen or adverse reactions are more likely to occur.)

1. Please the medicine should not be used on the following parts:
  - (1) People with bleeding blood disorders (hemophilia, thrombocytopenia, purpura, etc.)
  - (2) People for whom even the slightest amount of bleeding can be expected to have serious consequences.(It has a blood coagulation inhibitory effect and may promote bleeding)
2. Please do not use extensively on the face

Eyes, mucous membranes (oral cavity, nasal cavity, vagina, etc.)



## [Consult a doctor for the following]

1. The following persons should consult a doctor, pharmacist, or registered salesperson before using this medicine.
  - (1) Patients undergoing medical treatment from a doctor.
  - (3) Patients who have experienced allergic symptoms associated with drugs, etc.
  - (5) Those with severe moistening or erosion
2. If the following symptoms appear after use, it may be a side effect, so stop using it immediately and consult your doctor, pharmacist, or registered salesperson with this case.

Related area	Symptoms
Skin	Rash · redness, itching, swelling, purpura

3. If symptoms do not improve after using between 5 and 6 days, stop using the medicine, consult a doctor, pharmacist, or registered salesperson registered seller with this case or this Japanese product manual. the Japanese instructions written on this package case, and consult a doctor, pharmacist or registered salesperson.

## Dosage and administration

Apply an appropriate amount to the affected area several times a day.

### 〈When using this product〉

- (1) Please follow the prescribed usage and dosage.
- (2) Be careful not to get it in your eyes. If it gets into your eyes, immediately wash it with water or lukewarm water. If the symptoms are severe (such as persistent redness, pain, or unstoppable tearing), please consult an ophthalmologist.
- (3) Please use only for external treatment.

- \* Do not use this medicine on bleeding wounds. (Bleeding may become difficult to stop.)
  - \* Do not use this medicine on scars or burns on the face.
- (4) This medicine should be given to children only under adult supervision.

### **[Precautions for storage and handling]**

- (1) Store in a cool place free from direct sunlight by a seal tightly.
- (2) Avoid high temperatures and store tightly closed in a cool place out of direct sunlight.
- (3) Keep all medicine out of the reach of children.
- (4) Do not transfer this medicine to a different container. (In this case, cause misuse or change quality.)
- (5) Do not use this medicine past their expiration date. Please note that even if the expiration date has not passed after opening, please use it as soon as possible to maintain quality.

#### **Inactive ingredients:**

Glycerin, liquid paraffin, squalane, propylene glycol, white petrolatum, glycerin fatty acid ester, ceresin, paraben, sodium edetate hydrate, sodium hyaluronate

#### **Contact information for the Relief System for Side Effects**

##### **Pharmaceuticals and Medical Devices Agency**

[http://WWW.pmda.go.jp/kenkouhigai\\_cmp/index.html](http://WWW.pmda.go.jp/kenkouhigai_cmp/index.html)

Telephone: 0120-149-931 (toll-free)

#### ***Questions or comments?***

If you have any suggestions about this product, please contact the shop you purchased or the following address.

---

Consumer consultation window: Kyowa Pharmaceutical Industry Co., Ltd.

Customer consultation room ☎ 058-246-8771



Reception time 9:00~12:00・13:00~17:00 (Excluding weekends and holidays)

***[Request of limited correspondence]*** <Kyowa-Gifu-Japan>

- (1) In case of telephone consultation, please only in Japanese for a while.
- (2) The latest Japanese package insert is available on the website of Kyowa Pharmaceutical Co., Ltd. ([www.kyowa-ci.co.jp](http://www.kyowa-ci.co.jp)).

***Disclaimer statement***

- (1) We use a format similar to the FDA OTC Drug Regulations, but this is not an OTC Drug approved under the FDA. Please note that it is licensed for domestic use in accordance with the Pharmaceutical Affairs Law of Japan.
- (2) This English translation was created by a manufacturer and distributor, but Japanese is a correct sentence and it should be as a reference material. In the case of any discrepancy between the two versions, the original Japanese version prevails.
- (3) The provider of this translation shall not be responsible for any damage that may be attributed to the use of the translation.
- (4) Do not use for commercial purpose reproduction, publication etc. of this English translation.
- (5) Although the English translation is prepared on the basis of the Japanese version of the attached document on the year and month, the attached document is revised from time to time, so the English translation may not be the latest.